





QUICK REFERENCE GUIDE

Drip Tubing

| | Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight |
|---|--|----------------------|--|-----------|-------------------------|--------|-----------|
|  | WaterflowPRO® Classic Drip Tubing | | | | | | |
| | WFCL-16-4-24 | G-WFCL-16-4-24 | Classic drip tubing, 24" cylindrical emitter spacing, ~1.0 gph, O.D. 16mm, Geoshield and Rootguard | In stock | | 500 ft | 20.0 lbs. |
| | WFCL-16-4-12 | G-WFCL-16-4-12 | Classic drip tubing, 12" cylindrical emitter spacing, ~1.0 gph, O.D. 16mm, Geoshield and Rootguard | On demand | | 500 ft | 22.0 lbs. |
|  | WaterflowPRO® PC Drip Tubing | | | | | | |
| | WFPC-16-2-24 | G-WFPC-16-2-24 | PC drip tubing, 24" cylindrical emitter spacing, ~0.6 gph, O.D. 16mm, Geoshield and Rootguard | In stock | | 500 ft | 20.0 lbs. |
| | WFPC-16-2-12 | G-WFPC-16-2-12 | PC drip tubing, 12" cylindrical emitter spacing, ~0.6 gph, O.D. 16mm, Geoshield and Rootguard | In stock | | 500 ft | 21.0 lbs. |
| | WFPC-16-4-24 | G-WFPC-16-4-24 | PC drip tubing, 24" cylindrical emitter spacing, ~0.9 gph, O.D. 16mm, Geoshield and Rootguard | In stock | | 500 ft | 20.0 lbs. |
| | WFPC-16-4-12 | G-WFPC-16-4-12 | PC drip tubing, 12" cylindrical emitter spacing, ~0.9 gph, O.D. 16mm, Geoshield and Rootguard | In stock | | 500 ft | 21.0 lbs. |
|  | WaterflowPRO® Blank Tubing | | | | | | |
| | WFPLAIN | G-WF-PLAIN | Blank tubing, O.D. 16mm, GeoShield, 100ft | In stock | | 100ft | 4.0 lbs. |
|  | WaterflowECO® PC Drip Tubing | | | | | | |
| | | G-WFPC-17-1.6-24-ECO | Drip tubing PC 24" flat emitter spacing, ~0.4 gph, O.D. 17mm, Geoshield | On demand | | | |
| | | G-WFPC-17-2-24-ECO | Drip tubing PC 24" flat emitter spacing, ~0.6 gph, O.D. 17mm, Geoshield | In stock | | | |
| | | G-WFPC-17-4-24-ECO | Drip tubing PC 24" flat emitter spacing, ~1.0 gph, O.D. 17mm, Geoshield | On demand | | 500 ft | 20 lbs. |







Notes:

1. Nominal length of coils = 500ft, unless otherwise specified.

2. Custom drip tubing configurations and emitter spacings produced on demand, M.O.Q.: 132,000 ft. Please contact Geoflow.



QUICK REFERENCE GUIDE

Pre-assembled Residential Headworks


| | Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight |
|---|----------------------|---|---|-----------------|-------------------------|--------|--------|
| DripFilterECO® - Pre-assembled Residential Headworks with Vortex Filters | | | | | | | |
|  | WHWS-V-1F-A | G-WHWS-V1FA | Guts and box - 1" Vortex Filter, Up to 10 gpm, auto | Discontinued | | 1 | 36 |
| | WHWS-V-1F-M | G-WHWS-V1FM | Guts and box - 1" Vortex Filter, Up to 10 gpm, manual | Discontinued | | 1 | 36 |
| | WHWS-V-1.5F-A | G-WHWS-V15FA | Guts and box - 1.5" Vortex Filter, Up to 20 gpm, auto | Discontinued | | 1 | 47 |
| | WHWS-V-1.5F-M | G-WHWS-V15FM | Guts and box - 1.5" Vortex Filter, Up to 20 gpm, manual | Discontinued | | 1 | 43 |
| | WHWS-V-2F-A | G-WHWS-V2FA | Guts and box - 2" Vortex Filter, Up to 45 gpm, auto | Discontinued | | 1 | 47 |
| | WHWS-V-2F-M | G-WHWS-V2FM | Guts and box - 2" Vortex Filter, Up to 45 gpm, manual | Discontinued | | 1 | 43 |
| DripFilterECO® - Guts Only Vortex Filter | | | | | | | |
|  | WHWS-GUT-V-1F-A | G-WHWSGUT-V1FA | DripFilterECO - 1" Vortex Filter. Up to 10gpm, Automatic flush | On demand | | 1 | 8 |
| | | G-WHWSGUT-V1FA-FLEX | DripFilterECO - 1" flex manifold replacement | On demand | | | |
| | WHWS-GUT-V-1F-M | G-WHWSGUT-V1FM | DripFilterECO - 1" Vortex Filter. Up to 10gpm, Manual flush | On demand | | 1 | 7 |
| | WHWS-GUT-V-15F-A | G-WHWSGUT-V15FA | DripFilterECO - 1.5" Vortex Filter. Up to 20gpm, Automatic flush | On demand | | 1 | 16 |
| | WHWS-GUT-V-15F-M | G-WHWSGUT-V15FM | DripFilterECO - 1.5" Vortex Filter. Up to 20gpm, Manual flush | On demand | | 1 | 12 |
| | WHWS-GUT-V-2F-A | G-WHWSGUT-V2FA | DripFilterECO - 2" Vortex Filter. Up to 20gpm, Automatic flush | On demand | | 1 | 16 |
| | G-WHWSGUT-V2FM | DripFilterECO - 2" Vortex Filter. Up to 20gpm, Manual flush | On demand | | 1 | 12 | |
| Headworks Box Only | | | | | | | |
|  | | G-WHWSBOX-A | 14"x19"x12" purple box for accessories | On demand | | | |
| | WHWS-BOX-S | G-WHWSBOX-S | 13"x24"x15" headworks box drilled for 3/4" and 1" guts | In stock | | | |
| | WHWS-BOX-L | G-WHWSBOX-L | 17"x30"x15" headworks box drilled for 1.5" and 2" guts | In stock | | | |
| | WHWS-BOX-L18 | G-WHWSBOX-L-18 | 17"x30"x18" headworks box for 2x1.5" BioDisc guts | On demand | | | |
| | WHWS-RISER-S | G-WHWSRISER-S | 13"x24"x6" riser for 3/4" and 1" guts | On demand | | | |
| | G-WHWSRISER-L | 17"x30"x6" riser for 1.5" and 2" guts | On demand | | | | |
| | G-WHWSLID-S | Headworks lid for 3/4" and 1" guts, 13"x24" | On demand | | | | |
| | G-WHWSLID-L | Headworks lid for 1.5" and 2" guts, 17"x30" | On demand | | | | |
| Pre-assembled Headworks - Vortex Filters with Digital Display flow meter | | | | | | | |
|  | WHWU-V-1F-A-DDS | G-WHWU-V-1F-A-DDS | Large fiberglass box and flow meter included | | | | |
| | | | Ultra headworks - 1" Vortex Filter max 10 gpm, 1" Digital flow meter | Discontinued | | | 42 |
| | WHWU-V-15F-A-DDS | G-WHWU-V-15F-A-DDS | Ultra headworks - 1.5" Vortex Filter max 20 gpm, 1" Digital flow meter | Discontinued | | | 45 |
| | WHWU-V-2F-A-DDS | G-WHWU-V-2F-A-DDS | Ultra headworks - 2" Vortex Filter max 20 gpm, 1.5" Digital flow meter | Discontinued | | | 45 |
| DripFilterECO® Pre-assembled Headworks - For Riser | | | | | | | |
|  | WHWRS-D-150A | G-WHWRS-D150A | Vertical in-tank headworks, for 1.5" BioDisc filter, plumbed for easy disconnect from riser, max 23 gpm, manual flush, riser not included | On demand | | | 7 |
| | WHWRS-D-150M | G-WHWRS-D150M | Vertical in-tank headworks, for 1.5" BioDisc filter, plumbed for easy disconnect from riser, max 23 gpm, auto flush, riser not included | On demand | | | 7 |
| DripFilterECO® Pre-assembled Headworks - HDPE Basin | | | | | | | |
|  | Q-PDS-MS-1.5-DF-AUT | G-DFE-RBB2618-AW-150BD-1-100SV-1 | DripFilterECO headworks in 26x18 HDPE basin with lid, auto washdown, 1.5" BioDisc filter, Up to 20 gpm, 1" auto | In Stock | | | |
| | Q-PDS-MS-1.5-DF-MAN | G-DFE-RBB2618-MW-150BD-1-100MV-1 | DripFilterECO headworks in 26x18 HDPE basin with lid, manual washdown, 1.5" BioDisc filter, Up to 20 gpm, 1" manual | In Stock | | | |

QUICK REFERENCE GUIDE


Pre-assembled Residential Headworks

| | Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight | |
|---|---|--------------------|--|---|---|---------------------|--------|---|
|  | DripFilterECO® BioDisc Headworks with guts and box | | | | | | | |
| | | WHWS-D-15F-A | G-WHWS-D-15F-A | Guts and box - 1.5" BioDisc Filter, Up to 20 gpm, auto | To be discontinued | Q-PDS-MS-1.5-DF-AUT | 39 | |
| | | | G-WHWS-D-15F-A-FM | Guts only 1.5", BioDisc filter, Up to 20 gpm, auto washdown, 1" flow meter | To be discontinued | | | |
| | | WHWS-D-15F-M | G-WHWS-D-15F-M | Guts and box - 1.5" BioDisc Filter, Up to 20 gpm, 1" manual | To be discontinued | Q-PDS-MS-1.5-DF-MAN | 39 | |
| | | WHWS-D-15F-ACT | G-WHWS-D-15F-ACT | Guts and box - 1.5" BioDisc Filter, Up to 20 gpm, 1" solenoid filter flush, 1" actuated ball field flush | Discontinued | | 42 | |
| | | WHWS-D-15F-A2 | G-WHWS-D-15F-A2 | Guts and box - 2x1.5" BioDisc Filter, Up to 30 gpm, 1" auto | Discontinued | | 49 | |
| | DripFilterECO® Guts Only - BioDisc | | | | | | | |
| |  | | WHWS-GUT-D-15F-A | G-WHWSGUT-D-15FA | DripFilterECO guts only - 1.5" BioDisc Filter, Up to 20 gpm, 1" auto | In stock | | 8 |
| | | | WHWS-GUT-D-15F-M | G-WHWSGUT-D-15FM | DripFilterECO guts only - 1.5" BioDisc Filter, Up to 20 gpm, 1" manual | In stock | | 8 |
| | | | | G-WHWSGUT-D-15ACT | DripFilterECO guts only - 1.5", BioDisc filter, solenoid filter flush, Up to 20 gpm, 1" field-actuated ball flush | On demand | | |
| | | | G-WHWSGUT-D-15ACT2 | DripFilterECO guts only - 1.5", BioDisc filter, Up to 20 gpm, auto washdown, 2 actuated ball valves flush+field | On demand | | | |
| | | WHWS-GUT-D-15F-A2 | G-WHWSGUT-D-15FA2 | DripFilterECO guts only - 2 x 1.5" BioDisc filters, Up to 30 gpm, auto washdown | On demand | | | |
| | | WHWS-GUT-D-15F-ACT | G-WHWSGUT-D-15F-ACT | DripFilterECO guts only - 1.5" BioDisc Filter, Up to 20 gpm, 1" auto washdown, 1" actuated ball field flush | On demand | | 11 | |
| | | WHWS-D-200-A | G-WHWSGUT-D-200A | DripFilterECO guts only - 2" BioDisc Filter, 1" auto washdown | Discontinued | | 30 | |
| | | WHWS-D-200-M | G-WHWSGUT-D-200M | DripFilterECO guts only - 2" BioDisc Filter, 1" manual washdown | Discontinued | | 25 | |
| | WHWVDB-200M-2 | G-WHWVDB-200 M2 | DripFilterECO guts only - 2 x 2" BioDisc, battery manifold | Discontinued | | 120 | | |

Commercial Headworks


| | | | | | | | |
|---|--|--------------------------|--|---|-----------|--|--|
|  | DripFilterPRO® Commercial Auto Washdown Headworks (Jumbo) | | <i>Consult with your sales representative to quote your required configuration</i> | | | | |
| | | G-DFP-AW-200BD-1 | Geoflow DripFilterPRO Headworks, auto washdown, Up to 50 gpm: | One Biodisc 2" filter rack (3 filters total) with Geoshield + 3 Replacement filter cartridges | On demand | | |
| | | G-DFP-AW-200BD-2 | Geoflow DripFilterPRO Headworks, auto washdown, Up to 100 gpm: | Two Biodisc 2" filter rack (6 filters total) with Geoshield + 6 Replacement filter cartridges | On demand | | |
| | | G-DFP-AW-200BD-1-200SV-1 | Geoflow DripFilterPRO Headworks, auto washdown, Up to 50 gpm: | One Biodisc 2" filter rack (3 filters total) with Geoshield + 3 Replacement filter cartridges, One 2" zone valve rack (4 zones total) | On demand | | |
| | | G-DFP-200SV-1 | Geoflow DripFilterPRO Headworks: | One 2" zone valve racks (4 zones total) | On demand | | |
| | | G-DFP-200SV-2 | Geoflow DripFilterPRO Headworks: | Two 2" zone valve racks (8 zones total) | On demand | | |
| | | G-DFP-200SV-3 | Geoflow DripFilterPRO Headworks: | Three 2" zone valve racks (12 zones total) | On demand | | |
| | | G-DFP-200SV-4 | Geoflow DripFilterPRO Headworks: | Four 2" zone valve racks (16 zones total) | On demand | | |

Zone Boxes

| | | | | | | | |
|---|-------------------|--------------|----------------|---|-----------|--|----|
|  | Zone Boxes | | | | | | |
| | | WHZONE-100-2 | G-WHZONE-100-2 | 2 Zone Assembly, 1" solenoids, 13x24x15, 5 to 25 gpm | On demand | | 46 |
| | | WHZONE-100-3 | G-WHZONE-100-3 | 3 Zone Assembly, 1" solenoids, 13x24x15, 5 to 25 gpm | On demand | | 46 |
| | | WHZONE-100-4 | G-WHZONE-100-4 | 4 Zone Assembly, 1" solenoids, 13x24x15, 5 to 25 gpm | On demand | | 46 |
| | | WHZONE-150-2 | G-WHZONE-150-2 | 2 Zone Assembly, 1.5" solenoids, 17x30x15, 25 to 90 gpm | On demand | | 46 |
| | | WHZONE-150-3 | G-WHZONE-150-3 | 3 Zone Assembly, 1.5" solenoids, 17x30x15, 25 to 90 gpm | On demand | | 46 |
| | | WHZONE-150-4 | G-WHZONE-150-4 | 4 Zone Assembly, 1.5" solenoids, 17x30x15, 25 to 90 gpm | On demand | | 46 |
| | | WHZONE-200-2 | G-WHZONE-200-2 | 2 Zone Assembly, 2" solenoids, 17x30x15, 25 to 90 gpm | On demand | | 46 |
| | | WHZONE-200-3 | G-WHZONE-200-3 | 3 Zone Assembly, 2" solenoids, 17x30x15, 25 to 90 gpm | On demand | | 46 |
| | | WHZONE-200-4 | G-WHZONE-200-4 | 4 Zone Assembly, 2" solenoids, 17x30x15, 25 to 90 gpm | On demand | | 46 |

QUICK REFERENCE GUIDE









Control Panels

| | Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight |
|---|------------------------|---|---|------------------|-------------------------|--------|--------|
| Standard PLC Control Panels | | | | | | | |
|  | GEO1-SIM-AUT | G-GEO1-SIM-AUT | 1 zone, 115/230VAC, simplex, 1P, 2HP max, auto filter/field | On demand | G-GEO1-SIM-AUT-B | | 10 |
| | | G-GEO1-SIM-AUT-B | 1 zone, 115/230VAC, simplex, 1P, 2HP max, auto filter/field | In Stock | | | 18 |
| | GEO1-SIM-MAN | G-GEO1-SIM-MAN | 1 zone, 115/230VAC, simplex, 1P, 2HP max, manual filter/field | On demand | G-GEO1-SIM-MAN-B | | 16 |
| | | G-GEO1-SIM-MAN-B | 1 zone, 115/230VAC, simplex, 1P, 2HP max, manual filter/field | In Stock | | | 16 |
| | GEO1-DUP-AUT | G-GEO1-DUP-AUT | 1 zone, 115/230VAC, duplex, 1P, 2HP max, auto filter/field | On demand | G-GEO1-DUP-AUT-B | | 18 |
| | | G-GEO1-DUP-AUT-B | 1 zone, 115/230VAC, duplex, 1P, 2HP max, auto filter/field | In Stock | | | 18 |
| | GEO1-DUP-MAN | G-GEO1-DUP-MAN | 1 zone, 115/230VAC, duplex, 1P, 2HP max, manual filter/field | On demand | G-GEO1-DUP-MAN-B | | 18 |
| | | G-GEO1-DUP-MAN-B | 1 zone, 115/230VAC, duplex, 1P, 2HP max, manual filter/field | In Stock | | | 18 |
| | GEO4-SIM-AUT | G-GEO4-SIM-AUT | 1 to 4 zone, 115/230VAC, simplex, 1P, 2HP max, auto filter/field | On demand | G-GEO4-SIM-AUT-B | | 18 |
| | | G-GEO4-SIM-AUT-B | 1 to 4 zone individual run time, 115/230VAC, simplex, 1P, 2HP max, auto filter/field | In Stock | | | 18 |
| GEO4-DUP-AUT | G-GEO4-DUP-AUT | 1 to 4 zone, 115/230VAC, duplex, 1P, 2HP max, auto filter/field | On demand | G-GEO4-DUP-AUT-B | | 23 | |
| | G-GEO4-DUP-AUT-B | 1 to 4 zone individual run time, 115/230VAC, duplex, 1P, 2HP max, auto filter/field | In Stock | | | 23 | |
| GEO8-SIM-AUT | G-GEO8-SIM-AUT | 1 to 8 zone, 115/230VAC, simplex, 1P, 2HP max, auto filter/field | On demand | G-GEO8-SIM-AUT-B | | 30 | |
| | G-GEO8-SIM-AUT-B | 1 to 8 zone individual run time, 115/230VAC, simplex, 1P, 2HP max, auto filter/field | In Stock | | | 30 | |
| GEO8-DUP-AUT | G-GEO8-DUP-AUT | 1 to 8 zone, 115/230VAC, duplex, 1P, 2HP max, auto filter/field | On demand | G-GEO8-DUP-AUT-B | | 30 | |
| | G-GEO8-DUP-AUT-B | 1 to 8 zone individual run time, 115/230VAC, duplex, 1P, 2HP max, auto filter/field <i>Note: 04/23 revision; individual adjustable timers per zone, new terminal block configuration, new HOA switch switch configuration.</i> | In Stock | | | 30 | |
| | G-GEO12-DUP-DUAL-AUT | G-GEO12-DUP-DUAL-AUT | 12 zone individual run time, 115/230VAC, dual duplex, 1P, 1HP to 2HP max, auto | On demand | | | |
| | G-GEO12-DUP-DOUBLE-AUT | G-GEO12-DUP-DOUBLE-AUT | 12 zone individual run time, 115/230VAC, double duplex (2 on/2 off), 1P, 1HP to 2HP max, auto | On demand | | | |
| | G-GEO12-DUP-AUT | G-GEO12-DUP-AUT | 12 zone individual run time, 115/230VAC, duplex, 1P, 1HP to 2HP max, auto | On demand | | | |
| WiFi PLC Control Panels | | | | | | | |
| | GEOPS1 SIM AUT | G-GEOPS1-SIM-AUT | 1 zone, WiFi, 115/230VAC, simplex, 1P, 2HP max, auto | Discontinued | | | 15 |
| | GEOPS1 SIM MAN | G-GEOPS1-SIM-MAN | 1 zone, WiFi, 115/230VAC, simplex, 1P, 2HP max, manual | Discontinued | | | 15 |
| | GEOPS1 DUP AUT | G-GEOPS1-DUP-AUT | 1 zone, WiFi, 115/230VAC, duplex, 1P, 2HP max, auto | Discontinued | | | 18 |
| | GEOPS1 DUP MAN | G-GEOPS1-DUP-MAN | 1 zone, WiFi, 115/230VAC, duplex, 1P, 2HP max, auto | Discontinued | | | 18 |
| | GEOPS4 SIM AUT | G-GEOPS4-SIM-AUT | 1 to 4 zone, WiFi, 115/230VAC, simplex, 1P, 2HP max, auto | Discontinued | | | 21 |
| | GEOPS6 SIM MAN | G-GEOPS6-DUP-AUT | 1 to 6 zone, WiFi, 115/230VAC, duplex, 1P, 2HP max, auto | Discontinued | | | 25 |
| Controller for Backwash Filter Batteries | | | | | | | |
| | GEOB6D-DUP | G-GEOB6DDUP | PLC backwash panel for 1 to 6 zones, 115/230VAC, duplex, 1P, 3HP max, auto | Discontinued | | | 28 |
| | GEOB8D-DUP | G-GEOB8-PR-DDUP | PLC backwash panel for 8 zones, 115/230VAC, duplex, 1P, 3HP max, auto | Discontinued | | | 32 |

QUICK REFERENCE GUIDE



Flowmeters

Filters and Parts

| | Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight |
|---|----------------------|-----------------------------------|---|--------------------|-------------------------|--------|--------|
| Totalizer Flow Meter - MultiJet | | | | | | | |
|  | FM MJP075 | G-FM-MJP075 | 0.75" MultiJet Flow Meter Plastic body, Totalizer 0.25-20 gpm/150 psi/+/-1.5% | In Stock | | | 2 |
| | FM MJP100 | G-FM-MJP100 | 1" MultiJet Flow Meter Plastic body, Totalizer 0.75-50 gpm/150 psi/+/-1.5% | In Stock | | | 3 |
| | FM MJP150 | G-FM-MJP150 | 1.5" MultiJet Flow Meter Plastic body, Totalizer 1.5-100 gpm/150 psi/+/-1.5% | In Stock | | | 5 |
| | FM MJPRS | G-FM-MJPRS | Single 2-wire reedswitch for FM MJP Flow Meters | In Stock | | | 5 |
| Totalizer and Flow Rate | | | | | | | |
|  | | G-FM-PLS-100 | 1" FPT PVC turbine with pulse output, 5-50 gpm | Discontinued | | | 1.5 |
| | | G-FM-PLS-150 | 1.5" FPT PVC turbine with pulse output, 10-100 gpm | Discontinued | | | 1.7 |
| | | G-FM-PLS-200 | 2" FPT PVC turbine with pulse output, 20-200gpm | Discontinued | | | 2 |
|  | FM-DDS-050 | G-FM-DDS-050 | 1/2" FPT Digital Flow Meter with Local Display, 1.2-10gpm | In Stock | | | 0.9 |
| | FM-DDS-075 | G-FM-DDS-075 | 3/4" FPT Digital Flow Meter with Local Display, 2-20gpm | In Stock | | | 0.9 |
| | FM-DDS-100 | G-FM-DDS-100 | 1" FPT Digital Flow Meter with Local Display, 5-50gpm | In Stock | | | 1 |
| | FM-DDS-150 | G-FM-DDS-150 | 1.5" FPT Digital Flow Meter with Local Display, 10-100gpm | In Stock | | | 1.5 |
| | FM-DDS-200 | G-FM-DDS-200 | 2" FPT Digital Flow Meter with Local Display, 20-200gpm | On demand | | | 1.7 |
| Flow Meter - Electromagnetic Commercial Flow Meter | | | | | | | |
|  | FM-MAGM-100 | G-FMMAGM100 | 1" flanged mag meter with pulse output, 2.3 to 110 gpm | On demand | | | 0.9 |
| | FM-MAGM-200 | G-FMMAGM200 | 2" flanged mag meter with pulse output, 6 to 300 gpm | On demand | | | 0.9 |
| | FM-MAGM-300 | G-FMMAGM300 | 3" flanged mag meter with pulse output, 14 to 670 gpm | On demand | | | 1 |
| | | G-FMMAGM-RDL | DL76W remote data logger w/DC3 serial cable and SW software | On demand | | | |
| | | G-FMMP42 | 115 - 24v power supply wall | On demand | | | |
| BioDisc Filters | | | | | | | |
|  | APBIODISC-150 | G-APBIODISC-150 | 1.5" BioDisc filter with Geoshield | In Stock | | | 3 |
| | | G-APBIODISC-200A | 2" BioDisc filter with Geoshield | Discontinued | | | |
| BioDisc Replacement Parts | | | | | | | |
|  | APBIODISCART-150 | G-APBIODISCART-150 | 1.5" BioDisc cartridge with Geoshield | In Stock | | | 1 |
| | APBIODISCART-200-A | G-APBIODISCART-200A | 2" BioDisc cartridge with Geoshield, auto | In Stock | | | 7 |
| | APBIODISCART-200-M | G-APBIODISCART-200M | 2" BioDisc cartridge with Geoshield, manual | In Stock | | | |
| | | G-APBIODISCART-200M-SHORTY | 2" BioDisc cartridge, short profile | In Stock | | | |
| | APBIODISC-150-OR | G-APBIODISC-150-OR | O-ring for 1.5" BioDisc filter body | In Stock | | | 0.1 |
| APBIODISC-200-OR02 | G-APBIODISC-200-OR | O-ring for 2" BioDisc filter body | In Stock | | | 0.1 | |
|  | | G-APBIODISC-200-ORO2-Round | O-ring for 2" BioDisc filter body, Round Profile Ref: Parts blowup no. 19 | In Stock | | | |
| | | G-APBIODISC-200-ORO2-Square | O-ring for 2" BioDisc filter body, Square Profile Ref: Parts blowup no. 19 | In Stock | | | |
| | | G-AP-WRENCH | 1.5" BioDisc filter wrench | In Stock | | | 0.5 |
| Vortex Filters | | | | | | | |
|  | AP4E-1F | G-AP4E-1F | 1" MPT Vortex Filter, 6" body, 10 gpm max, drilled and tapped with schrader | To Be Discontinued | | | 0.8 |
| | AP4E-1.5F | G-AP4E-1.5F-3H | 1.5" MPT Filter (3) hole, 20 gpm max drilled and tapped with schrader | To Be Discontinued | | | 6 |
| | AP4E-2F | G-AP4E-2F-4H | 2" MPT Filter, (4) hole, 20 gpm max drilled and tapped with schrader | Discontinued | | | 7 |

QUICK REFERENCE GUIDE

Filters and Parts



| Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight | |
|---|-----------------------|--|-------------------------------------|-------------------------|--------|--------|-----|
| Vortrex Filters Replacement Parts | | | | | | | |
|  | G-APSCR 75F/1F-5-100M | 1" short or .75" replacement screen - 100 mesh, blue short screen 5" length | In Stock | | | 0.1 | |
| | G-APSCR 75F/1F-5-150M | 1" short or .75" replacement screen - 150 mesh, black short screen 5" length | In Stock | | | | |
| | G-APSCR-1F-100M-6 | 1" mpt filter replacement screen - 100 mesh, blue long screen 6" length | In Stock | | | | |
| | G-APSCR-1F-150M-6 | 1" mpt filter replacement screen - 150 mesh, black long screen 6" length | In Stock | | | | |
| | G-APSCR-1F-200M-6 | 1" replacement screen - 200 mesh 6" long filter | On demand | | | 0.1 | |
| | G-APSCR-15/2F-100M | 1.5" or 2" replacement screen - 100 Mesh | In Stock | | | | |
| | G-APSCR-15/2F-150M | 1.5" or 2" replacement screen - 150 Mesh | In Stock | | | 0.7 | |
| | APSCR .75F/1F-5 | G-AP-PLT-.75F | Replacement plate for 3/4" filter | On demand | | | 0.1 |
| | APSCR 1F-6 | G-AP-PLT-1F | Replacement plate for 1" filter | In Stock | | | 0.1 |
| | APSCR 1.5/2F | G-AP-PLT-1.5F-2H | Replacement spinplate 1.5"- 2 holes | On demand | | | |
| APPLT 75F | G-AP-PLT-1.5F-3H | Replacement spinplate 1.5"- 3 holes | On demand | | | | |
| APPLT 1F | G-AP-PLT-1.5F-4H | Replacement spinplate 1.5"- 4 holes | On demand | | | 0.2 | |
| APPLT 1.5F-3 | G-AP-PLT-2F-3H | Replacement spinplate 2"- 3 holes | On demand | | | | |
| APPLT 2F-4 | G-AP-PLT-2F-4H | Replacement spinplate 2"- 4 holes | On demand | | | 0.2 | |
|  | G-AP-OR-75F1F | O-Ring for 3/4"+1" Vortex Filter | In Stock | | | 0.1 | |
| | G-AP-OR-15F2F | O-Ring for 1.5"+2" Vortex Filter | In Stock | | | 0.1 | |
| | G-AP-DEBRIS-1F | 3/4" or 1" debris basin | In Stock | | | 0.4 | |

Pressure Filters




| Part Number | Description | Stock | M.O.Q. |
|----------------------------------|--|----------|--------|
| Sim/Tech Pressure Filters | | | |
| STF-100 | pressure filter job ready 2", stainless steel screen, 1/16" holes | In Stock | 2 |
| STF-100A2 | pressure filter field assemble 2", stainless steel screen, 1/16" holes | In Stock | 2 |
| STF-100A2/U | pressure filter 2", with attached union, but without tailpiece, stainless steel screen, 1/16" holes | In Stock | 2 |
| STF-100A2-1/8 | pressure filter field assemble 2", stainless steel screen, 1/8" holes | In Stock | 2 |
| STF-100A3 | pressure filter custom model 3", stainless steel screen, 1/16" holes | In Stock | 2 |
| STF-100A3-1/8 | pressure filter custom model 3", stainless steel screen, 1/8" screen | In Stock | 2 |
| STF-100A4 | pressure filter custom model 4", stainless steel screen, 1/16" holes | In Stock | 1 |
| STF-100P/100 | pressure filter job ready 2", plastic screen, with 100 micron sock (2 extra socks included) | In Stock | 2 |
| STF-100P/150190 | pressure filter job ready 2", plastic screen, with 150-190 micron sock (6 extra socks included) | In Stock | 2 |
| STF-100P/600 | pressure filter job ready 2", plastic screen, with 600 micron sock (6 extra socks included) | In Stock | 2 |
| STF-100P2/100 | pressure filter field assemble 2", plastic screen, with 100 micron sock (2 extra socks included) | In Stock | 2 |
| STF-100P2/150190 | pressure filter field assemble 2", plastic screen, with 150-190 micron sock (6 extra socks included) | In Stock | 2 |
| STF-100P2/600 | pressure filter field assemble 2", plastic screen, with 600 micron sock (6 extra socks included) | In Stock | 2 |
| STF-100P3/100 | pressure filter field assemble 3", plastic screen, with 100 micron sock (2 extra socks included) | In Stock | 2 |
| STF-100P3/150190 | pressure filter field assemble 3", plastic screen, with 150-190 micron sock (6 extra socks included) | In Stock | 2 |
| STF-100P3/600 | pressure filter field assemble 3", plastic screen, with 600 micron sock (6 extra socks included) | In Stock | 2 |
| STF-100P4/100 | pressure filter field assemble 4", plastic screen, with 100 micron sock (2 extra socks included) | In Stock | 1 |
| STF-100P4/150190 | pressure filter field assemble 4", plastic screen, with 150-190 micron sock (6 extra socks included) | In Stock | 1 |
| STF-100P4/600 | pressure filter field assemble 4", plastic screen, with 600 micron sock (6 extra socks included) | In Stock | 1 |

QUICK REFERENCE GUIDE

Air Vent and Vacuum Breakers




| | Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight |
|---|----------------------|---|---|-----------------|-------------------------|--------|--------|
|  | | G-APVBK-075M | 3/4" MPT Kinetic Vent and Vacuum Relief Valve with mushroom vent | Low stock | | | |
| | | G-APVBK-075L | 3/4" MPT Kinetic Vent and Vacuum Relief Valve with 3/8" BSPT elbow vent | Low stock | | | |
| | | G-APVBK100M | 1" MPT Kinetic Vent and Vacuum Relief Valve with mushroom vent | In Stock | | | 0.3 |
| | | G-APVBK100L | 1" MPT Kinetic Vent and Vacuum Relief Valve with 3/8" BSPT elbow vent | In Stock | | | 0.3 |
| | | G-APVBK-200C | Kinetic Air Vent / Vacuum Release Valve, 2" (1" threaded outlet) | On demand | | | |
| | | G-APVBK-1 | 1" MPT kinetic air/vacuum relief valve | Discontinued | G-APVBK100M | | 0.3 |
| | | G-APVBK-1.5 | 1.5" MPT kinetic air/vacuum relief valve | Low stock | | | |
| | | G-APVBK-2 | 2" MPT kinetic air/vacuum relief valve | Low stock | G-APVBK-200C | | 2.5 |
| | | G-ARV-05 | 1/2" Air relief valve | In Stock | | | |
| | | G-ARV100 | 1" MPT continuous airvent/vacuum relief valve | In Stock | | | 2.5 |
| | G-ARV200 | 2" MPT continuous airvent/vacuum relief valve | On demand | | | 2.5 | |
|  | G-AVBOX6 | STF-112 | valve box, 7" round, marked sewer | In Stock | | | 1.5 |
| | G-AVBOX10 | STF-113 | valve box, 10" round, marked sewer | In Stock | | | |
| | G-AVBOX10 | | | | | | 2.5 |

Valves and Pressure Regulators

| | | | | | | | |
|---|-----------------|--|---|--------------------|--|-----|-----|
|  | Solenoid Valves | | | | | | |
| | | G-SVLVB-075 | 3/4" NPT Solenoid Valve 24V, normally closed flow ctr stem, man override | On demand | | | |
| | | SVLVB-100 | 1" Solenoid valve. 24VAC, FPT, NC | On demand | | | 0.8 |
| | | SVLVB-100X | 1" Solenoid valve. 24VAC, FPT, NC, External plumbing | In Stock | | | 1 |
| | | G-SVLVB-100NO | 1" NPT Solenoid Valve 24V, 3-way, normally open | On demand | | | |
| | | SVLVB-150 | 1.5" Solenoid valve. 24VAC, FPT, NC | On demand | | | 2.4 |
| | | SVLVB-150X | 1.5" Solenoid valve, 24VAC, FPT, NC, External plumbing | In Stock | | | 2.6 |
| | | G-SVLVB-150NO | 1.5" NPT Solenoid Valve 24V, 2-way, normally open | On demand | | | |
| | | SVLVB-200 | 2" Solenoid valve. 24VAC, FPT, NC, External Plumbing | In Stock | | | 3.4 |
| | | G-SVLVB-200NO | 2" NO FPT solenoid valve 24V AC, S400 solenoid vent plumbed to downstream | On demand | | | |
| | | SVLVB-300 | 3" Solenoid valve. 24VAC, FPT, NC, External Plumbing. | On demand | | | 4.4 |
| | | G-SVLVB-300NO | 3" NO solenoid valve, 24V FPT, S390Sol Vent plumbed to downstream | On demand | | | |
| | G-SVLVB-400 | 4" solenoid valve, 24V normally closed, flange flow ctr stem, man override | On demand | | | | |
|  | Actuated Valves | | | | | | |
| | BVLVACT-10SS | G-BVLVACT-100SS | 1" Ball Valve - SS, 9-24V AC/DC-2 wire, nc. autospring return | In Stock | | | 3 |
| | BVLVACT-100 | G-BVLVACT100 | 1" slip motorized ball valve with 120VAC. Indicator light | To be discontinued | | | 2.5 |
| | BVLVACT-150 | G-BVLVACT150 | 1.5" slip motorized ball valve with 120VAC. Indicator light | To be discontinued | | | 3 |
| | BVLVACT-200 | G-BVLVACT200 | 2" slip motorized ball valve with 120VAC. Indicator light | To be discontinued | | | 4 |
|  | Hydrotek Valves | | | | | | |
| | HT-4402 | G-HT-4402 | 2 zone Hydrotek valve 1.25" x 1.25", 25-75psi, min10gpm | In Stock | | | 1.5 |
| | HT-4403 | G-HT-4403 | 3 zone Hydrotek valve 1.25" x 1.25", 25-75psi, min10gpm | In Stock | | | 1.5 |
| | HT-4404 | G-HT-4404 | 4 zone Hydrotek valve 1.25" x 1.25", 25-75psi, min10gpm | In Stock | | | 1.5 |
| | HT-4602 | G-HT-4602 | 2 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm | In Stock | | | 1.5 |
| | HT-4603 | G-HT-4603 | 3 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm | In Stock | | | 1.5 |
| | HT-4604 | G-HT-4604 | 4 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm | In Stock | | | 1.5 |
| | HT-4605 | G-HT-4605 | 5 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm | In Stock | | | 1.5 |
| HT-4606 | G-HT-4606 | 6 zone Hydrotek valve 1.25" x 1", 25-75psi, min10gpm | In Stock | | | 1.5 | |





QUICK REFERENCE GUIDE

Valves and Pressure Regulators

| Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight |
|---|---|---|---|-------------------------|--------|--------|
| Pre-assembled Diverter Valves | | | | | | |
|  | Q-PDS-DV-4-4-2-AP | Indexing distribution valve assembly, 2 zone, 25-75 psi, 10-40 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-4-4-3-AP | Indexing distribution valve assembly, 3 zone, 25-75 psi, 10-40 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-4-4-4-AP | Indexing distribution valve assembly, 4 zone, 25-75 psi, 10-40 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-4-6-5-AP | Indexing distribution valve assembly, 5 zone, 25-75 psi, 10-30 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-4-6-6-AP | Indexing distribution valve assembly, 6 zone, 25-75 psi, 10-30 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-4-2-AP | Indexing distribution valve assembly, 2 zone, 25-150 psi, 25-100 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-4-3-AP | Indexing distribution valve assembly, 3 zone, 25-150 psi, 25-100 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-4-4-AP | Indexing distribution valve assembly, 4 zone, 25-150 psi, 25-100 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-6-5-AP | Indexing distribution valve assembly, 5 zone, 25-150 psi, 25-100 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-6-6-AP | Indexing distribution valve assembly, 6 zone, 25-150 psi, 25-100 gpm in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-4-4-2-AP-L | Indexing distribution valve assembly, 2 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-4-4-3-AP-L | Indexing distribution valve assembly, 3 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-4-4-4-AP-L | Indexing distribution valve assembly, 4 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-4-5-AP-L | Indexing distribution valve assembly, 5 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-4-6-AP-L | Indexing distribution valve assembly, 6 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-4-2-AP-L | Indexing distribution valve assembly, 2 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-4-3-AP-L | Indexing distribution valve assembly, 3 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | |
| | Q-PDS-DV-6-4-4-AP-L | Indexing distribution valve assembly, 4 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | |
| Q-PDS-DV-6-6-5-AP-L | Indexing distribution valve assembly, 5 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | | |
| Q-PDS-DV-6-6-6-AP-L | Indexing distribution valve assembly, 6 zone, 25-150 psi, 25-100 gpm low flow (white stem) in D26"xH18" basin | In Stock | | | | |
| Ball Check Valve | | | | | | |
|  | CV-B-100 | G-CV-B-100 | 1" True Union ball check PVC/Viton, Slip and FPT | In Stock | | 1 |
| | CV-B-150 | G-CV-B-150 | 1.5" True Union ball check PVC/Viton, Slip and FPT | In Stock | | 2.2 |
| | CV-B-200 | G-CV-B-200 | 2" True Union ball check PVC/Viton, Slip and FPT | In Stock | | 3 |
| Spring Check Valve | | | | | | |
|  | KBT600 | | | | | |
| | CV-S-100 | G-CV-S-100 | 1" Spring check valve. Slip x Slip. Requires 2psi to open | In Stock | | 0.5 |
| | CV-S-150 | G-CV-S-150 | 1.5" Spring check valve. Slip x Slip. Requires 2psi to open | In Stock | | 0.7 |
| CV-S-200 | G-CV-S-200 | 2" Spring check valve. Slip x Slip. Requires 2psi to open | On demand | | 1 | |
| Pressure Regulators | | | | | | |
|  | PMR20-LF | G-PMR20-LF | 20 psi regulator.1/8-8 gpm 3/4" FIPT | On demand | | 0.3 |
| | PMR20-MF | G-PMR20-MF | 20 psi regulator.2-20 gpm 1" FIPT | In Stock | | 0.4 |
| | PMR20-HF | G-PMR20-HF | 20 psi regulator.10-32 gpm 1.25" FIPT | In Stock | | 0.6 |
| | PMR20-UF | G-PMR20-UF | 20 psi regulator. 20-100 gpm 2" FIPT | In Stock | | 2.5 |
| | PMR30-LF | G-PMR30-LF | 30 psi regulator.1/8-8 gpm 3/4" FIPT | On demand | | 0.3 |
| | PMR30-MF | G-PMR30-MF | 30 psi regulator.2-20 gpm 1" FIPT | In Stock | | 0.4 |
| | PMR30-HF | G-PMR30-HF | 30 psi regulator.10-32 gpm 1.25" FIPT | In Stock | | 0.6 |
| | PMR30-UF | G-PMR30-UF | 30 psi regulator.20-100 gpm 2" FIPT | In Stock | | 2.5 |
| | PMR40-LF | G-PMR40-LF | 40 psi regulator.1/8-8 gpm 3/4" FIPT | On demand | | 0.3 |
| | PMR40-MF | G-PMR40-MF | 40 psi regulator.2-20 gpm 1" FIPT | In Stock | | 0.4 |
| | PMR40-HF | G-PMR40-HF | 40 psi regulator.10-32 gpm 1.25" FIPT | In Stock | | 0.6 |
| | PMR40-UF | G-PMR40-UF | 40 psi regulator.20-90 gpm 2" FIPT | In Stock | | 2.5 |
| | PMR50-MF | G-PMR50-MF | 50 psi regulator.2-20 gpm 1" FIPT | In Stock | | 0.4 |
| | PMR50-HF | G-PMR50-HF | 50 psi regulator.10-32 gpm 1.25" FIPT | In Stock | | 0.6 |
| | PMR50-UF | G-PMR50-UF | 50 psi regulator.20-90 gpm 2" FIPT | In Stock | | 2.5 |





QUICK REFERENCE GUIDE

Fittings

| | Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight |
|---|----------------------|--|---|-----------|-------------------------|--------|----------|
| Lockslip fittings | | | | | | | |
|  | LTSLIP-600 | G-LTSLIP-600 | Hose - 1/2" socket (3/4" spigot) for Wasteflow PRO (50/bag) | In stock | | 50 | 1.7 |
| | LTMPT-600 | G-LTMPT-600-1/2 | Male Adapter hose - 1/2"M Thread for Wasteflow PRO (50/bag) | In stock | | 50 | |
| | | G-LTMPT-600-3/4 | Male Adapter hose - 3/4"M Thread for Wasteflow PRO (50/bag) | In stock | | 50 | |
| | LTTEE-600 | G-LTTEE-600 | Hose - Hose Tee coupling for Wasteflow PRO (25/bag) | In stock | | 25 | 1.5 |
| | LTEL-600 | G-LTEL-600 | Swivel Elbow adapter Hose - 3/4" F Hose for Wasteflow PRO (50/bag) | In stock | | 50 | 2.1 |
| | LTC-600 | G-LTC-600 | Hose - Hose coupling for Wasteflow PRO (50/bag) | In stock | | 50 | 2.3 |
| | | G-LTSLIP-700 | Hose - 1/2" socket (3/4" spigot) works best with WaterflowECO® (50/bag) | In stock | | 50 | |
| | | G-LTMPT-700-1/2 | Male Adapter hose - 1/2"M Thread works best with WaterflowECO® (50/bag) | In stock | | 50 | |
| | | G-LTMPT-700-3/4 | Male Adapter hose - 3/4"M Thread works best with WaterflowECO® (50/bag) | In stock | | 50 | |
| | | G-LTTEE-700 | Hose - Hose Tee coupling works best with WaterflowECO® (50/bag) | In stock | | 25 | |
| | G-LTEL-700 | Hose Elbow adapter Hose - 3/4" F Hose works best with WaterflowECO® (50/bag) | In stock | | 50 | | |
| | G-LTC-700 | Hose - Hose coupling works best with WaterflowECO® (50/bag) | In stock | | 50 | | |
| Lockslip loops & risers | | | | | | | |
|  | LTFLXR-18 | G-LTFLEX-R-18-1 | G-Use IPS#2795 or equivalent to glue Flex to 1/2" PVC fittings 18" flex PVC riser with 1 lockslip adapters. For risers | In stock | | | |
| | LTFLXL-36 | G-LTFLEX-L-36 | 36" flex PVC w/2 lockslip adapters. For loops or risers | In stock | | 1 | 0.6 |
| | LTFLXCOIL100 | G-LTFLEX-COIL-100 | 100 ft. flexible PVC Coil. 1/2 in diameter. | In stock | | 100ft | 21 |
| | WFPLAIN | G-WF-PLAIN | Blank 16mm, 100 ft roll with GeoShield | In stock | | 100ft. | 4.0 lbs. |
| Compression and Barbed Fittings | | | | | | | |
|  | CA600 | G-CA-600 | Adapter 1/2" slip. Fits 16mm WaterflowPRO® line | On demand | | 100 | 0.4 |
| | BC600 | G-BC-600 | Barbed coupling 1/2" insert Fits 16mm WaterflowPRO® line, 100/bag | On demand | | 100 | 1.3 |
| Saddle Tees | | | | | | | |
|  | SADDLET15 | G-SADDLET15 | 1.5" Black PVC to 1/2" slip or 3/4" socket" | In stock | | 50 | 4 |
| | SADDLET20 | G-SADDLET20 | 2" White PVC to 1/2" slip or 3/4" socket" | In stock | | 50 | 4 |
| | SADDLET25 | G-SADDLET25 | 2.5" Grey PVC to 1/2" slip or 3/4" socket" | In stock | | 50 | 4 |
| | SADDLET30 | G-SADDLET30 | 3" Brown PVC to 1/2" slip or 3/4" socket" | On demand | | 50 | 4 |

QUICK REFERENCE GUIDE

Accessories

| | Previous Part Number | Part Number | Description | Stock | Recommended Replacement | M.O.Q. | Weight |
|--|----------------------|--------------------------------|---|--------------------|-------------------------|--------|--------|
| Pressure Gauges  | | G-PG-25-LM | Pressure gauge 1/4" NPT. Lower mount | In Stock | | 1 | 0.7 |
| | | G-PG-LEAD | 18" gauge hose with 1/4" FPT, self clamping air chuck | To be discontinued | | 1 | 1 |
| | | G-PG-LEAD-42 | 42" gauge hose with 1/4" FPT, self clamping air chuck | In Stock | | | |
| Unions  | UNION075S | G-UNION-075-S | 3/4" Union - Slip | On demand | | 1 | 0.4 |
| | UNION075ST | G-UNION-075-ST | 3/4" Union - FPT x Slip | In stock | | 1 | 0.4 |
| | UNION100S | G-UNION-100-S | 1" Union - Slip | On demand | | 1 | 0.4 |
| | UNION100ST | G-UNION-100-ST | 1" Union - FPT x Slip | In stock | | 1 | 0.4 |
| | UNION150S | G-UNION-150-S | 1.5" Union - Slip | On demand | | 1 | 0.5 |
| | UNION150ST | G-UNION-150-ST | 1.5" Union - FPT x Slip | In stock | | 1 | 0.5 |
| | UNION200S | G-UNION-200-S | 2" Union - Slip | On demand | | 1 | 0.8 |
| | UNION200ST | G-UNION-200-ST | 2" Union - FPT x Slip | On demand | | 1 | 0.8 |
| Quick Disconnect  | EZP150 | G-EZP150 | EZ-Pull quick disconnect, 1 1/2" fpt | On demand | | | 0.5 |
| | EZP200 | G-EZP200 | EZ-Pull quick disconnect, 2" fpt | On demand | | | 1 |
| Grommets  | | Q-PDS-GT-50-40 | 1/2" SCH 40 Grommet (250 per box) | In Stock | | | 30 |
| | | Q-PDS-GT-1.00-40 | 1" SCH 40 Grommet (300 per box) | In Stock | | | 20 |
| | | Q-PDS-GT-1.25-40 | 1.25" SCH 40 Grommet (250 per box) | In Stock | | | 20 |
| | | Q-PDS-GT-1.50-40 | 1.5" SCH 40 Grommet (200 per box) | In Stock | | | 20 |
| | | Q-PDS-GT-2.00-40 | 2" SCH 40 Grommet (125 per box) | In Stock | | | 15 |
| | | Q-PDS-GT-3.00-40 | 3" SCH 40 Grommet (144 per box) | In Stock | | | 10 |
| | | Q-PDS-GT-4.00-40 | 4" SCH 40 Grommet (80 per box) | In Stock | | | 5 |
| | Q-PDS-GT-4.00-35 | 4" SDR 35 Grommet (80 per box) | In Stock | | | 5 | |

Please visit geoflow.com for Standard Terms and Conditions of Sale